



Standard Product Configuration

MT8212B - Cell Master™ Cable, Antenna and Base Station Analyzer

CDMA2000/EVDO Testing, Spectrum Analysis and Cable Sweep up to 3 GHz	
MT8212B	Cell Master
Option 21	Transmission Measurement
Option 31	GPS (includes GPS antenna)
Option 33	cdmaOne and CDMA2000 1xRTT Over The Air (OTA)
Option 34	1xEV-DO Over The Air (OTA)
Option 42	CDMA RF Measurements
Option 43	cdmaOne and CDMA2000 1xRTT Demodulator
Option 62	1xEV-DO RF Measurements
Option 63	1xEV-DO Demodulator
Option 50	T1/E1 Analyzer
OSLN50-1	Precision Open/Short/Load, N(m), 42 dB, 6.0 GHz
15NNF50-1.5C [x2]	Test Port Extension Cable, Armored, 1.5 meters, DC to 6.0 GHz, 50 Ohm, N(m) - N(f)
2000-1030	Portable Antenna, 50 Ohm, SMA (m), 1.71 to 1.88 GHz
2000-1031	Portable Antenna, 50 Ohm, SMA (m), 1.85 to 1.99 GHz
2000-1035	Portable Antenna, 50 Ohm, SMA (m), 896-941 MHz
2000-1200	Portable Antenna, 50 Ohm, SMA (m), 806-866 MHz
1091-27	Adapter, DC to 18Ghz, 50 Ohm, N(m) - SMA (f)
34NN50A	Precision Adapter, DC to 18 GHz, 50 Ohm, N(m) - N(m)
760-243-R	Transit Case with Wheels